

GymBeam s.r.o.  
Ms. Sláviková  
Rastislavova 93  
040 01 Kosice - mestská cast Juh  
**Slovakia**



Contact person:  
Rebecca Rugo  
Phone +49 40 797172-435  
r.rugo@gba-group.de

### **Certificate of analysis 24054417 - 005**

Sample name : Crea7in GymBeam - lemon lime  
Marking of sample : 002804K0005 17.09.2027  
Customer No. : Crea7in GymBeam - lemon lime  
Packaging : Commercial package/plastic vessel  
Sample amount : 1 x 300 g  
Shipping of sample : Courier Service  
Sample entry : 11.11.2024  
Entrance temperature : Room temperature  
Sample taken : by sender  
Begin/end of analysis : 11.11.2024 / 19.11.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 3

Certificate of analysis : 24054417 - 005

Sample name : Crea7in GymBeam - lemon lime

## Test Results

| <i>Microbiological Test</i> | <i>Result</i> | <i>Unit</i> |
|-----------------------------|---------------|-------------|
| Coliforms                   | <10           | cfu/g       |
| Salmonella                  | negative      | / 25 g      |
| Yeasts / moulds             |               |             |
| Yeasts                      | <10           | cfu/g       |
| Moulds                      | <10           | cfu/g       |

| <i>Chemical/Physical Test</i> | <i>Result</i> | <i>Unit</i> | <i>Max. level</i> |
|-------------------------------|---------------|-------------|-------------------|
| Lead                          | 0,037         | mg/kg       | 3                 |
| Cadmium                       | <0,010        | mg/kg       | 1                 |
| Mercury                       | <0,010        | mg/kg       | 0,1               |

Maximum levels for food supplements according to VO (EU) 2023/915

### Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements (cat. 3.1.28; 3.2.21; 3.3.2) and melamine in food stuff (cat. 6.2.1).

Hamburg, 19.11.2024

\_\_\_\_\_  
i. A. H. Krug

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

## Methods

| <i>Parameter</i> | <i>Method</i>  |
|------------------|--|
| Coliforms        | ISO 4832: 2006-02 <sup>a</sup> <sub>0</sub>  |
| Salmonella       | DIN EN ISO 6579-1: 2020-08 <sup>a</sup> <sub>0</sub>   |
| Yeasts / moulds  | BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 <sup>a</sup> ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 <sub>0</sub> |
| Lead             | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>  |
| Cadmium          | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>  |
| Mercury          | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>  |

With <sup>a</sup> marked methods are accredited.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg

Certificate of analysis : 24054417 - 005

Sample name : Crea7in GymBeam - lemon lime