

GymBeam s.r.o.

Rastislavova 93  
040 01 Košice - mestská časť Juh  
**Slovakia**



Contact person:  
Rebecca Rugo  
Phone +49 40 797172-435  
r.rugo@gba-group.de

## **Certificate of analysis 23058182 - 016**

Sample name : BCAA 4:1:1 Instant - GymBeam 500 g - lemon lime

Marking of sample : Batch-No.: L231470,  
EXP. date: 112025

Customer No. : none

Packaging : Commercial package/bag

Sample amount : 1 x 500 g

Shipping of sample : Courier Service

Sample entry : 14.12.2023

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 14.12.2023 / 21.12.2023

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 3

Certificate of analysis : 23058182 - 016

Sample name : BCAA 4:1:1 Instant - GymBeam 500 g - lemon lime

## Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
E. coli	<10	cfu/ g
Salmonella	negative	/ 25 g
Coliforms	<10	cfu/ g
Yeasts	<10	cfu/ g
Yeasts / moulds		
Moulds	<10	cfu/ g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Max. level</i>
Lead	<0,020	mg/kg	3
Cadmium	<0,010	mg/kg	1
Mercury	0,026	mg/kg	0,1
Arsenic	<0,040	mg/kg	

Maximum levels for food supplements according to VO (EU) 2023/915

### Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Arsenic was not detectable within the sensitivity of the method.

Hamburg, 21.12.2023



i. A. R. Rugo

(Certified Food Chemist / Customer Service)

Certificate of analysis : 23058182 - 016

Sample name : BCAA 4:1:1 Instant - GymBeam 500 g - lemon lime

## Methods

<i>Parameter</i>	<i>Method</i>
E. coli	DIN ISO 16649-2, mod. REBECCA Agar: 2020-12 <sup>a</sup> <sub>0</sub>
Salmonella	§ 64 LFGB L 00.00-20: 2021-07 <sup>a</sup> <sub>0</sub>
Coliforms	ISO 4832: 2006-02 <sup>a</sup> <sub>0</sub>
Yeasts / moulds	ISO 21527-1/-2, mod. Symphony Agar: 2008-07 <sup>a</sup> <sub>0</sub>
Lead	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Cadmium	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Mercury	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Arsenic	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>

With <sup>a</sup> marked methods are accredited.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg