

GymBeam s.r.o.  
Ms. Huculová  
Rastislavova 93  
040 01 Kosice - mestská cast Juh  
Slovakia



Contact person:  
Rebecca Rugo  
Phone +49 40 797172-435  
r.rugo@gba-group.de

### **Certificate of analysis 24046413 - 001**

Sample name : Omega 3 + Vitamin D3  
Marking of sample : GB/02/09/2026/P  
Customer No. : none  
Packaging : Commercial package/plastic bottle  
Sample amount : 1 x 126 g  
Shipping of sample : Courier Service  
Sample entry : 25.09.2024  
Entrance temperature : Room temperature  
Sample taken : by sender  
Begin/end of analysis : 25.09.2024 / 11.10.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 3



Certificate of analysis : 24046413 - 001

Sample name : Omega 3 + Vitamin D3

## Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
Coliforms	<10	cfu/g
E. coli	<10	cfu/g
Salmonella	negative	/ 25 g
Yeasts / moulds		
Yeasts	<10	cfu/g
Moulds	<10	cfu/g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Max. level</i>
Lead	0,029	mg/kg	3
Cadmium	<0,010	mg/kg	1
Mercury	<0,010	mg/kg	0,1
Arsenic	0,054	mg/kg	
Chromium	<0,0080	mg/100 g	
Copper	0,047	mg/100 g	
Zinc	<0,050	mg/100 g	

Maximum levels for food supplements according to VO (EU) 2023/915

### Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements (cat. 3.1.28; 3.2.21; 3.3.2).

Hamburg, 11.10.2024

\_\_\_\_\_  
i. A. J. Kronberg

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

Certificate of analysis : 24046413 - 001

Sample name : Omega 3 + Vitamin D3

## Methods

<i>Parameter</i>	<i>Method</i>
Coliforms	ISO 4832: 2006-02 <sup>a</sup> <sub>0</sub>
E. coli	Biomerieux, Rebecca-Agar AEB520020/AEB150022: 2020-09 <sup>a</sup> ; validated according to EN ISO 16140-2 against ISO 16649-2 2001-07 <sub>0</sub>
Salmonella	DIN EN ISO 6579-1: 2020-08 <sup>a</sup> <sub>0</sub>
Yeasts / moulds	BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 <sup>a</sup> ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 <sub>0</sub>
Lead	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Cadmium	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Mercury	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Arsenic	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Chromium	DIN EN 15763, mod., ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Copper	DIN EN 15763, mod., ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Zinc	DIN EN 15763, mod., ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>

With <sup>a</sup> marked methods are accredited.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg